

Carbon Steel Pipe Data

PIPE SIZES & SCHEDULES						
NB	NB	OD	WALL	Mass	Identification	
inches	mm	mm	mm	Kg/m	STD XS,XXS	Schedule Number
1	25	33.4	3.4	2.5	STD	40
1	25	33.4	4.5	3.23	XS	80
1	25	33.4	6.4	4.23		160
1	25	33.4	9.1	5.45	XXS	
1 ¼	32	42.2	3.6	3.38	STD	40
1 ¼	32	42.2	4.9	4.46	XS	80
1 ¼	32	42.2	6.4	5.6		160
1 ¼	32	42.2	9.7	7.75	XXS	
1 ½	40	48.3	3.7	4.05	STD	40
1 ½	40	48.3	5.1	5.4	XS	80
1 ½	40	48.3	7.1	7.23		160
1 ½	40	48.3	10.2	9.54	XXS	
2	50	60.3	3.9	5.43	STD	40
2	50	60.3	5.5	7.47	XS	80
2	50	60.3	8.7	11.1		160
2	50	60.3	11.1	13.4	XXS	
2 ½	65	73	5.2	8.62	STD	40
2 ½	65	73	7	11.4	XS	80
2 ½	65	73	9.5	14.9		160
2 ½	65	73	14	20.4	XXS	
3	80	88.9	5.5	11.3	STD	40
3	80	88.9	7.6	15.3	XS	80
3	80	88.9	11.1	21.3		160
3	80	88.9	15.2	27.6	XXS	
3 ½	90	101.6	5.7	13.6	STD	40
3 ½	90	101.6	8.1	18.6	XS	80
4	100	114.3	6	16.1	STD	40
4	100	114.3	8.6	22.3	XS	80
4	100	114.3	11.1	28.2		120
4	100	114.3	13.5	33.5		160
4	100	114.3	17.1	41	XXS	
5	125	141.3	6.6	21.8	STD	40
5	125	141.3	9.5	30.9	XS	80
5	125	141.3	12.7	40.2		120
5	125	141.3	15.9	49		160
5	125	141.3	19	57.4	XXS	
6	150	168.3	7.1	28.2	STD	40
6	150	168.3	11	42.5	XS	80
6	150	168.3	14.3	54.2		120

PIPE SIZES & SCHEDULES						
NB	NB	OD	WALL	Mass	Identification	
inches	mm	mm	mm	Kg/m	STD XS,XXS	Schedule Number
6	150	168.3	18.3	67.5		160
6	150	168.3	21.9	79.1	XXS	
8	200	219.1	6.4	33.3		20
8	200	219.1	7	36.6		30
8	200	219.1	8.2	42.5	STD	40
8	200	219.1	10.3	53.1		60
8	200	219.1	12.7	64.6	XS	80
8	200	219.1	15.1	75.8		100
8	200	219.1	18.3	90.3		120
8	200	219.1	20.6	101		140
8	200	219.1	22.2	108	XXS	
8	200	219.1	23.00	111		160
10	250	273	6.4	41.7		20
10	250	273	7.8	51		30
10	250	273	9.3	60.2	STD	40
10	250	273	12.7	81.5	XS	60
10	250	273	15.1	95.8		80
10	250	273	18.3	115		100
10	250	273	21.4	133		120
10	250	273	25.4	155	XXS	140
10	250	273	28.6	172		160
12	300	323.9	6.4	49.7		20
12	300	323.9	8.4	65.1		30
12	300	323.9	9.5	73.8	STD	
12	300	323.9	10.3	79.7	XS	40
12	300	323.9	12.7	97.4		
12	300	323.9	14.3	109		60
12	300	323.9	17.5	132		80
12	300	323.9	21.4	160		100
12	300	323.9	25.4	187	XXS	120
12	300	323.9	28.6	208		140
12	300	323.9	33.3	239		160
14	350	355.6	6.4	54.6		10
14	350	355.6	7.9	68		20
14	350	355.6	9.5	81.2	STD	30
14	350	355.6	11.1	94.3		40
14	350	355.6	12.7	107	XS	
14	350	355.6	15.1	127		60
14	350	355.6	19	158		80
14	350	355.6	23.8	195		100
14	350	355.6	27.8	224		120

PIPE SIZES & SCHEDULES						
NB	NB	OD	WALL	Mass	Identification	
inches	mm	mm	mm	Kg/m	STD XS,XXS	Schedule Number
14	350	355.6	31.8	253		140
14	350	355.6	35.7	281		160
16	400	406.4	6.4	62.6		10
16	400	406.4	7.9	77.9		20
16	400	406.4	9.5	93.1	STD	30
16	400	406.4	12.7	123	XS	40
16	400	406.4	16.7	160		60
16	400	406.4	21.4	203		80
16	400	406.4	26.2	245		100
16	400	406.4	31	286		120
16	400	406.4	36.5	333		140
16	400	406.4	40.5	365		160
18	450	457	6.4	70.5		10
18	450	457	7.9	87.8		20
18	450	457	9.5	105	STD	
18	450	457	11.1	122		30
18	450	457	12.7	139	XS	
18	450	457	14.3	156		40
18	450	457	19	206		60
18	450	457	23.8	254		80
18	450	457	29.4	310		100
18	450	457	34.9	363		120
18	450	457	39.7	408		140
18	450	457	45.2	459		160
20	500	508	6.4	78.5		10
20	500	508	9.5	117	STD	20
20	500	508	12.7	155	XS	30
20	500	508	15.1	183		40
20	500	508	20.6	248		60
20	500	508	26.2	311		80
20	500	508	32.5	381		100
20	500	508	38.1	441		120
20	500	508	44.4	508		140
20	500	508	50	564		160
22	550	559	6.4	86.4		10
22	550	559	9.5	129	STD	20
22	550	559	12.7	171	XS	30
22	550	559	22.2	294		60
22	550	559	28.6	373		80
22	550	559	34.9	451		100
22	550	559	41.3	526		120

PIPE SIZES & SCHEDULES						
NB	NB	OD	WALL	Mass	Identification	
inches	mm	mm	mm	Kg/m	STD XS,XXS	Schedule Number
22	550	559	47.6	600		140
22	550	559	54	671		160
24	600	610	6.4	94.4		10
24	600	610	9.5	141	STD	20
24	600	610	12.7	187	XS	
24	600	610	14.3	210		30
24	600	610	17.5	255		40
24	600	610	24.6	355		60
24	600	610	31	441		80
24	600	610	38.9	547		100
24	600	610	46	639		120
24	600	610	52.4	719		140
24	600	610	59.5	807		160
26	650	660	7.9	128		10
26	650	660	9.5	153	STD	
26	650	660	12.7	203	XS	20
28	700	711	7.9	138		10
28	700	711	9.5	165	STD	
28	700	711	12.7	219	XS	20
28	700	711	15.9	272		30
30	750	762	7.9	138		10
30	750	762	9.5	165	STD	
30	750	762	12.7	219	XS	20
30	750	762	15.9	272		30
32	800	813	7.9	157		10
32	800	813	9.5	188	STD	
32	800	813	12.7	250	XS	20
32	800	813	15.9	312		30
32	800	813	17.5	342		40
34	850	864	7.9	167		10
34	850	864	9.5	200	STD	20
34	850	864	12.7	266	XS	30
34	850	864	15.9	332		40
34	850	864	17.5	364		
36	900	914	7.9	177		10
36	900	914	9.5	212	STD	
36	900	914	12.7	282	XS	20
36	900	914	15.9	351		30
36	900	914	19	420		40